




Installation Example in asphalted areas Class F 900

Pour concrete in layers (lifts). Take suitable measures to prevent lateral and upward movement of channel units during pours.

Reinforcement Option



* y = Channel height plus camber

Category according to EN 1433 / DIN 19580		A 15	B 125	C 250	D 400**	E 600**	F 900**	Applying to following systems: RECYFIX HICAP F 8200, 8300
Foundation: width x / height y / thickness z (in cm)							20 / * / 20	
EN 206-1 / DIN 1045-2	quality of concrete stretcher						C35/45 XD3, XF4, XM2	
	without danger of frost on the lateral support						C 25/30 X0	
The named concrete quality is a minimum quality							C25/30 XF3	
The installation examples / advise constantly are adapted to the technical conditions. With new editions older expenditures lose their validity. Before planning or installation please verify the current version at www.hauraton.com In building construction is a sealing layer below the channels necessary.				Date: 01.03.2023		Our general installation instructions apply.		Format DIN A4
The installation example represents a proven recommendation from HAURATON. The final responsibility for the execution lies with the planner in charge. Specific conditions of the project must be taken into account.								scale 1:12
** Installation situations of drainage systems with high dynamic loads (e.g. airports, motorways and manoeuvring areas of buses, lorries and forklifts, etc.) are not sufficiently considered in DIN EN 1433. Please contact us for such applications to work out project-specific solutions.				0000097936_BRITISH.dwg		17		EBBw
				RF-HICAP-F-8300 Einbaubeispiel Klasse F 900 in Asphalt				
								 <div> Unit 4, Frenchs Avenue LU6 1BH Dunstable / Bedfordshire United Kingdom </div> <div> Tel. +44 1582 501380 TS-UK@hauraton.com </div>